



White Knight®

by **PPG**

RUST GUARD PROJECT GUIDE



CLEAN **TREAT** **PRIME** **TOPCOAT**

**PROTECT, RESTORE AND CREATE
USING WHITE KNIGHT RUST GUARD®**



*TINTABLE TO 1000S OF COLOURS FROM TAUBMANS® RANGE

BEFORE YOU START YOUR PROJECT

Choose your colour

White Knight Rust Guard® topcoats can be tinted to 1000s of colours.

- Refer to popular colours on the White Knight website.
- Select a colour from Taubmans Colour wall.
- Create your own colour using Coloursmith®. Scan to download the app.



Project Guide

SURFACE	CLEAN	TREAT	PRIME	TOPCOAT
Rusted Steel, Wrought Iron, Cast Iron For hard to reach areas - Treat rust but not paint	Rust Guard Solvent	Rust Guard Fish Oil*		
Rusted Steel, Wrought Iron, Cast Iron Higher level protection	Rust Guard Solvent	Rust Guard Rust Converter	Rust Guard Metal Primer or Rust Guard Quick Dry True Bite	Any Rust Guard Topcoat below can be used Rust Guard Epoxy Enamel or Rust Guard Quick Dry Advanced Enamel or Rust Guard Hammered Finish or Rust Guard Touch Up
Aluminium, Copper, Brass, Stainless Steel	Rust Guard Solvent		Rust Guard SLS Etch Primer	
Previously Painted Surfaces	Rust Guard Solvent			
New Steel	Rust Guard Solvent			
Galvanised Iron, Steel and Zincalume®	Rust Guard Solvent		Rust Guard Cold Gal	Rust Guard Cold Gal Silver

*Freshly applied Rust Guard Fish Oil cannot be painted over

Remember to read instructions and safety information on pack carefully before starting your project.



RUSTED STEEL, WROUGHT IRON, CAST IRON

Use this system for hard to reach areas

Common projects include: hinges, nuts, and bolts



CLEAN

- 1 Use sand paper and a wire bristled brush to remove all loose material and rust scale.
- 2 Saturate a dry, clean cloth with White Knight Rust Guard Solvent and wipe over surface to clean and degrease prior to painting.



TREAT

- 1 Stir Rust Guard Fish Oil thoroughly before use.
- 2 Apply liberal amounts with a brush to completely saturate the surface, working into crevices.
- 3 Allow 48 hours to dry completely.
- 4 Freshly applied Rust Guard Fish Oil cannot be painted.



PRIME

TOPCOAT

RUSTED STEEL, WROUGHT IRON, CAST IRON



Use these systems for a higher level of protection, whether bare or previously painted
Common projects include: trailers, fences, gates, and outdoor furniture

QUICK DRYING
Ideal for tackling a project in a day.

1 DAY
CLEANS IN WATER

CLEAN	TREAT	PRIME	TOPCOAT
1 Use sand paper and a wire bristled brush to remove all loose material and rust scale. 2 Saturate a dry, clean cloth with White Knight Rust Guard Solvent and wipe over surface to clean and degrease prior to painting.	1 Stir Rust Guard Rust Converter thoroughly 2 Apply 1 coat by brush to rust affected areas 3 Allow 2-3 hours to dry Product will form a blue-black coloured polymeric barrier, which protects the substrate against further corrosion.		

TOUGH COATING
Ideal for surfaces subjected to scrapes and knocks.

2 DAYS
TREAT
CLEANS IN WATER
TOPCOAT
CLEANS IN SOLVENT

CLEAN	TREAT	PRIME	TOPCOAT
1 Use sand paper and a wire bristled brush to remove all loose material and rust scale. 2 Saturate a dry, clean cloth with White Knight Rust Guard Solvent and wipe over surface to clean and degrease prior to painting.	1 Stir Rust Guard Rust Converter thoroughly 2 Apply 1 coat by brush to rust affected areas 3 Allow 2-3 hours to dry Product will form a blue-black coloured polymeric barrier, which protects the substrate against further corrosion.		

ALUMINIUM, COPPER, BRASS, STAINLESS STEEL



QUICK DRYING Ideal for tackling a project in a day.

1 DAY

PRIME

CLEANS IN SOLVENT

TOPCOAT

CLEANS IN WATER

CLEAN

- 1 Sand new metal or glossy surfaces thoroughly
- 2 Saturate a dry, clean cloth with White Knight Rust Guard Solvent and wipe over surface to clean and degrease prior to painting.



TREAT

PRIME

- 1 Stir Rust Guard SLS Etch Primer thoroughly before use
- 2 Apply one coat by brush, roller, or spray
- 3 Allow between 2-24 hours before applying topcoat



TOPCOAT

- 1 Stir Rust Guard Advanced Enamel thoroughly before use
- 2 Apply one coat with brush, roller, or spray gun
- 3 Wait 2 hours before applying the second coat



Use these systems for bare or previously painted
Common projects include: window frames, light fittings, and door frames

TOUGH COATING Ideal for surfaces subjected to scrapes and knocks.

2 DAYS

CLEANS IN SOLVENT

CLEAN

- 1 Sand new metal or glossy surfaces thoroughly
- 2 Saturate a dry, clean cloth with White Knight Rust Guard Solvent and wipe over surface to clean and degrease prior to painting.



TREAT

PRIME

- 1 Stir Rust Guard True Bite Primer thoroughly before use
- 2 Apply one coat by brush, roller, or spray
- 3 Allow between 2-24 hours before applying topcoat



TOPCOAT

- 1 Stir topcoat thoroughly before use
- 2 Apply one coat with brush, roller, or spray gun
- 3 Wait 16 hours before applying the second coat



METAL FINISH Ideal for preserving the lustre of bare metal.

1 DAY

CLEANS IN SOLVENT

CLEAN

- 1 Sand new metal or glossy surfaces thoroughly
- 2 Saturate a dry, clean cloth with White Knight Rust Guard Solvent and wipe over surface to clean and degrease prior to painting.



TREAT

PRIME

TOPCOAT

- 1 Apply Rust Guard Clear Guard directly to prepared bare metal, no primer required
- 2 Wait 1 hour before applying the second coat





LIGHTLY RUSTED SURFACES

Use these systems for bare or previously painted
Common projects include: outdoor furniture, tools, fences, sheds

QUICK DRYING
Ideal for tackling a project in a day.



CLEAN

- 1 Sand pre-painted or glossy surfaces thoroughly
- 2 Use sand paper and a wire bristled brush to remove all loose material and rust scale.
- 3 Saturate a dry, clean cloth with White Knight Rust Guard Solvent and wipe over surface to clean and degrease prior to painting.



TREAT

PRIME

TOPCOAT

- 1 Stir Rust Guard Advanced Enamel thoroughly before use
- 2 Apply one coat with brush, roller, or spray gun
- 3 Wait 2 hours before applying the second coat



TOUGH COATING
Ideal for surfaces subjected to scrapes and knocks.



CLEAN

- 1 Sand pre-painted or glossy surfaces thoroughly
- 2 Use sand paper and a wire bristled brush to remove all loose material and rust scale.
- 3 Saturate a dry, clean cloth with White Knight Rust Guard Solvent and wipe over surface to clean and degrease prior to painting.



TREAT

PRIME

TOPCOAT

- 1 Stir topcoat thoroughly before use
- 2 Apply one coat with brush, roller, or spray gun
- 3 Wait 16 hours before applying the second coat



NEW STEEL



Use these systems for bare surfaces

Common projects include: hand rails, toolboxes, outdoor furniture

QUICK DRYING Ideal for tackling a project in a day.

1
DAY

PRIME
CLEANS IN
SOLVENT

TOPCOAT
CLEANS IN
WATER

CLEAN

- 1 Sand new metal or glossy surfaces thoroughly
- 2 Saturate a dry, clean cloth with White Knight Rust Guard Solvent and wipe over surface to clean and degrease prior to painting.



TREAT

PRIME

- Optional.**
Priming will provide increased corrosion protection, but will increase project time.
- 1 Stir Rust Guard SLS Etch thoroughly before use
 - 2 Apply one coat with brush, roller, or spray gun
 - 3 Wait 16 hours before applying topcoat



TOPCOAT

- 1 Stir Rust Guard Advanced Enamel thoroughly before use
- 2 Apply one coat with brush, roller, or spray gun
- 3 Wait 2 hours before applying the second coat



TOUGH COATING Ideal for surfaces subjected to scrapes and knocks.

2
DAYS

CLEANS IN
SOLVENT

CLEAN

- 1 Sand new metal or glossy surfaces thoroughly
- 2 Saturate a dry, clean cloth with White Knight Rust Guard Solvent and wipe over surface to clean and degrease prior to painting.



TREAT

PRIME

- Optional.**
Priming will provide increased corrosion protection, but will increase project time.
- 1 Stir Rust Guard Metal Primer thoroughly before use
 - 2 Apply one coat with brush, roller, or spray gun
 - 3 Wait 16 hours before applying topcoat



TOPCOAT

- 1 Stir topcoat thoroughly before use
- 2 Apply one coat with brush, roller, or spray gun
- 3 Wait 16 hours before applying the second coat



GALVANISED IRON AND STEEL



Use these systems for bare surfaces

Common projects include: structural steel, sheds, and fences

QUICK DRYING

Ideal for tackling a project in a day with a coloured finish.

1 DAY

PRIME

CLEANS IN SOLVENT

TOPCOAT

CLEANS IN WATER

CLEAN

- 1 Use sand paper and a wire bristled brush to remove all loose material and rust scale.
- 2 Saturate a dry, clean cloth with White Knight Rust Guard Solvent and wipe over surface to clean and degrease prior to painting.



TREAT

- 1 Stir Rust Guard Rust Converter thoroughly
 - 2 Apply 1 coat by brush to rust affected areas
 - 3 Allow 2-3 hours to dry
- Product will form a blue-black coloured polymeric barrier, which protects the substrate against further corrosion.



PRIME

- 1 Stir Rust Guard True Bite thoroughly before use
- 2 Apply one coat with brush, roller, or spray gun
- 3 Wait 2 hours before applying topcoat



TOPCOAT

- 1 Stir Rust Guard Advanced Enamel thoroughly before use
- 2 Apply one coat with brush, roller, or spray gun
- 3 Wait 2 hours before applying the second coat



HEAVY DUTY

Provides the highest level of corrosion protection with a silver metallic finish

2 DAYS

CLEANS IN SOLVENT

CLEAN

- 1 Use sand paper and a wire bristled brush to remove all loose material and rust scale.
- 2 Saturate a dry, clean cloth with White Knight Rust Guard Solvent and wipe over surface to clean and degrease prior to painting.



TREAT

PRIME

- 1 Stir Rust Guard Cold Gal thoroughly before use
- 2 Apply one coat with brush, roller, or spray gun
- 3 Wait 8 hours before applying topcoat



TOPCOAT

- 1 Stir Rust Guard Cold Gal Silver thoroughly before use
- 2 Apply one coat with brush, roller, or spray gun
- 3 Wait 1 hour before applying the second coat



RUST GUARD GUARANTEE

WHITE KNIGHT RUST GUARD® QUICK DRY ADVANCED ENAMEL 8 YEAR GUARANTEE

White Knight Rust Guard® Quick Dry Advanced Enamel is guaranteed to inhibit the development of rust for 8 years if applied to suitable and properly prepared surfaces, following White Knight instructions and the appropriate White Knight Preparation and Primer products are used (if required). This guarantee is given by PPG Industries Australia Pty Ltd and applies to defects in the manufacture or formulation of the product. This guarantee does not cover: blistering, peeling or flaking; application in highly corrosive areas; paint failure caused by any breakdown of coatings applied previously or use of other coating not specified by White Knight; or any other factors beyond our control. Any damage to the coating must be repaired immediately to inhibit rust development. If this guarantee is not met, we will replace the paint or refund your money. We are not liable for the cost of any labour or any other direct or indirect loss or damage arising from a breach of this guarantee. Customers are responsible for all costs of claiming under this guarantee. To claim, customers must either email us at info@whiteknightpaints.com.au, Mail us at PO Box 204, Chester Hill, NSW 2162 or call our customer care number 131 686 to request a claim form. The benefits provided by this guarantee are in addition to other rights and remedies under the law.

WHITE KNIGHT RUST GUARD® EPOXY ENAMEL 5 YEAR GUARANTEE CONDITIONS

White Knight Rust Guard® Epoxy Enamel is guaranteed to prohibit the development of rust for 5 years if applied to suitable and properly prepared surfaces, following White Knight instructions and the appropriate White Knight Preparation and Primer products are used. This guarantee is given by PPG Industries Australia Pty Ltd and applies to defects in the manufacture or formulation of the product. This guarantee does not cover: blistering, peeling or flaking; application in highly corrosive areas; paint failure caused by any breakdown of coatings applied previously or use of other coating not specified by White Knight; or any other factors beyond our control. Any damage to the coating must be repaired immediately to inhibit rust development. If this guarantee is not met, we will replace the paint or refund your money. We are not liable for the cost of any labour or any other direct or indirect loss or damage arising from a breach of this guarantee. Customers are responsible for all costs of claiming under this guarantee. To claim, customers must either email us at info@whiteknightpaints.com.au, Mail us at PO Box 204, Chester Hill, NSW 2162 or call our customer care number 131 686 to request a claim form. The benefits provided by this guarantee are in addition to other rights and remedies under the law.

If you are a consumer within the meaning of the Australian Consumer Law: Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.



FOLLOW US ON



White Knight Paints



whiteknightpaints



whiteknightpaints

whiteknightpaints.com.au
customer care: 131 686

Australia
PPG Industries Pty Limited
9 Birmingham Ave, Villawood NSW 2163
ABN 82 055 500 939

whiteknightpaints.co.nz
customer care: 0800 131 686

New Zealand
PPG Industries New Zealand Ltd
5 Monahan Rd, Mt Wellington Auckland
Tel: 0800 263 766



We protect and
beautify the world™

White Knight® is a registered trademark of PPG Industries Australia Pty Limited. The PPG Logo is a registered trademark of PPG Industries Ohio, Inc. Images in this booklet are provided for inspirational purposes only and may have been recoloured to suit White Knight's paint range.



12/2021 RET21541/WKCC0043